



ProSecure **MAXIMUM SECURITY** Cylinders



- 3 Star Security • Sold Secure Diamond Standard •
- Snap Secure Technology • TS007 Compliant •
- Restricted Profile Dimple Keys •

ProSecure **Maximum Security** Cylinders Sold Secure Diamond Grade

The ProSecure cylinder range are the most secure cylinders on the market, designed to withstand all common methods of attack.

The cylinders are manufactured from a combination of brass and hardened carbon steel and combine intelligent security features to provide maximum security:

Patented snap secure technology

Unique sacrificial point resists entry via cylinder snapping

High strength carbon steel block prevents unplugging and protects the cam

Steel anti-drill pins

Anti-pick pins

Anti-bump pins and anti-bump steel frame combination

Restricted profile dimple keys and double row of active pins provides 180,000 effective differs

Key copy protection only the registered warranty card holder can order duplicate keys



The unique sacrificial point, if attacked externally sets an interlocking cam mechanism into action, preventing any further damage to the internal parts of the cylinder, The lock remains operable from the inside for the home owner, allowing them to operate the door and exit the property.



Horizontal Keyway



Security pins, snap secure technology, unique sacrificial point and cam protection block



Thumbturn option available



Restricted profile dimple keys and key copy protection

Closed Profile Technology
with dimple key security

Unique Sacrificial Point
for snap secure protection

High Strength Carbon Steel Block
resists snapping, unplugging and protects the cam from manipulation



Unique Registration Code
for key copy control

- Tested to EN1303:2015, TS007: 2014 and A1: 2015 for cylinder enhanced security
- Available in brushed brass and brushed nickle
- Available in double, thumbturn and keyed alike
- Contact our sales team for our in-house keying alike and pairing alike service




CLME08161454



Police Preferred Specification



KM535608



Part Numbers | It is crucial to know the internal and external cylinder measurements when ordering.

- In the part numbers below, cylinders are prefixed with AP. The INTERNAL measurement is always shown first, followed by the EXTERNAL measurement, then the FINISH, then the VARIANT. For example: a 35/45 cylinder in brushed brass with a thumbturn is AP3545BRTT

Type	Size	Brushed Brass	Brushed Nickel
Euro Double	30/40	AP3040BR*	AP3040BSN*
Euro Double	30/45	AP3045BR*	AP3045BSN*
Euro Double	35/35	AP3535BR	AP3535BSN
Euro Double	35/45	AP3545BR*	AP3545BSN*
Euro Double	35/50	AP3550BR*	AP3550BSN*
Euro Double	35/55	AP3555BR*	AP3555BSN*
Euro Double	35/60	AP3560BR*	AP3560BSN*
Euro Double	35/70	AP3570BR*	AP3570BSN*
Euro Double	40/30	AP4030BR*	AP4030BSN*
Euro Double	40/40	AP4040BR	AP4040BSN
Euro Double	40/45	AP4045BR*	AP4045BSN*
Euro Double	40/50	AP4050BR	AP4050BSN
Euro Double	40/55	AP4055BR*	AP4055BSN*
Euro Double	40/60	AP4060BR	AP4060BSN
Euro Double	45/30	AP4530BR*	AP4530BSN*
Euro Double	45/35	AP4535BR*	AP4535BSN*
Euro Double	45/40	AP4540BR*	AP4540BSN*
Euro Double	45/45	AP4545BR	AP4545BSN
Euro Double	45/50	AP4550BR	AP4550BSN
Euro Double	45/55	AP4555BR	AP4555BSN
Euro Double	50/35	AP5035BR*	AP5035BSN*
Euro Double	50/40	AP5040BR	AP5040BSN
Euro Double	50/45	AP5045BR	AP5045BSN
Euro Double	50/50	AP5050BR	AP5050BSN
Euro Double	55/35	AP5535BR*	AP5535BSN*
Euro Double	55/40	AP5540BR*	AP5540BSN*
Euro Double	55/45	AP5545BR	AP5545BSN
Euro Double	60/35	AP6035BR*	AP6035BSN*
Euro Double	60/40	AP6040BR	AP6040BSN
Euro Double	70/35	AP7035BR*	AP7035BSN*

Type	Size	Brushed Brass	Brushed Nickel
Euro Thumbturn	35/35	AP3535BRTT	AP3535BSNTT
Euro Thumbturn	35/45	AP3545BRTT*	AP3545BSNTT*
Euro Thumbturn	35/50	AP3550BRTT*	AP3550BSNTT*
Euro Thumbturn	35/55	AP3555BRTT*	AP3555BSNTT*
Euro Thumbturn	35/60	AP3560BRTT*	AP3560BSNTT*
Euro Thumbturn	35/70	AP3570BRTT*	AP3570BSNTT*
Euro Thumbturn	40/40	AP4040BRTT	AP4040BSNTT
Euro Thumbturn	40/50	AP4050BRTT	AP4050BSNTT
Euro Thumbturn	40/55	AP4055BRTT*	AP4055BSNTT*
Euro Thumbturn	40/60	AP4060BRTT	AP4060BSNTT
Euro Thumbturn	45/35	AP4535BRTT*	AP4535BSNTT*
Euro Thumbturn	45/45	AP4545BRTT	AP4545BSNTT
Euro Thumbturn	45/50	AP4550BRTT	AP4550BSNTT
Euro Thumbturn	45/55	AP4555BRTT	AP4555BSNTT
Euro Thumbturn	50/35	AP5035BRTT*	AP5035BSNTT*
Euro Thumbturn	50/40	AP5040BRTT	AP5040BSNTT
Euro Thumbturn	50/45	AP5045BRTT	AP5045BSNTT
Euro Thumbturn	50/50	AP5050BRTT	AP5050BSNTT
Euro Thumbturn	55/35	AP5535BRTT*	AP5535BSNTT*
Euro Thumbturn	55/40	AP5540BRTT*	AP5540BSNTT*
Euro Thumbturn	55/45	AP5545BRTT	AP5545BSNTT
Euro Thumbturn	60/35	AP6035BRTT	AP6035BSNTT
Euro Thumbturn	60/35	AP7035BRTT*	AP7035BSNTT*
Euro Thumbturn	60/40	AP6040BRTT	AP6040BSNTT

Type	Size	Brushed Brass	Brushed Nickel
Euro Double Keyed Alike	30/40	AP3040BRKA6*	AP3040BSNKA6*
Euro Double Keyed Alike	30/45	AP3045BRKA6*	AP3045BSNKA6*
Euro Double Keyed Alike	35/35	AP3535BRKA6*	AP3535BSNKA6
Euro Double Keyed Alike	35/45	AP3545BRKA6*	AP3545BSNKA6*
Euro Double Keyed Alike	35/50	AP3550BRKA6*	AP3550BSNKA6*
Euro Double Keyed Alike	35/55	AP3555BRKA6*	AP3555BSNKA6*
Euro Double Keyed Alike	40/30	AP4030BRKA6*	AP4030BSNKA6*
Euro Double Keyed Alike	40/40	AP4040BRKA6*	AP4040BSNKA6
Euro Double Keyed Alike	40/45	AP4045BRKA6*	AP4045BSNKA6*
Euro Double Keyed Alike	40/50	AP4050BRKA6*	AP4050BSNKA6*
Euro Double Keyed Alike	40/55	AP4055BRKA6*	AP4055BSNKA6*
Euro Double Keyed Alike	40/60	AP4060BRKA6*	AP4060BSNKA6
Euro Double Keyed Alike	45/30	AP4530BRKA6*	AP4530BSNKA6*

Type	Size	Brushed Brass	Brushed Nickel
Euro Double Keyed Alike	45/35	AP4535BRKA6*	AP4535BSNKA6*
Euro Double Keyed Alike	45/40	AP4540BRKA6*	AP4540BSNKA6*
Euro Double Keyed Alike	45/45	AP4545BRKA6*	AP4545BSNKA6
Euro Double Keyed Alike	45/50	AP4550BRKA6	AP4550BSNKA6
Euro Double Keyed Alike	45/55	AP4555BRKA6*	AP4555BSNKA6*
Euro Double Keyed Alike	50/35	AP5035BRKA6*	AP5035BSNKA6*
Euro Double Keyed Alike	50/40	AP5040BRKA6*	AP5040BSNKA6*
Euro Double Keyed Alike	50/45	AP5045BRKA6	AP5045BSNKA6
Euro Double Keyed Alike	50/50	AP5050BRKA6*	AP5050BSNKA6
Euro Double Keyed Alike	55/35	AP5535BRKA6*	AP5535BSNKA6*
Euro Double Keyed Alike	55/40	AP5540BRKA6*	AP5540BSNKA6*
Euro Double Keyed Alike	55/45	AP5545BRKA6*	AP5545BSNKA6*
Euro Double Keyed Alike	60/40	AP6040BRKA6*	AP6040BSNKA6

*special order